

Imray Correction Notice

ICC69

11 September 2012

Chart C69 WGS 84

Edition Dec 2006

Date of printing Dec 2006

The following corrections should be noted:

1 Stranraer (Plan J)

Insert lgd *Works in Progress (2007)* centred on 54°54'·54N 5°01'·71W. (ILNW 210/07)

2 Scotland W Coast, Killantringan

Delete Lt Fl(2)15s49m25M at Killantringan in 54°51'·71N 5°08'·83W. (ILNW 272/07)

3 Stranraer northwestwards, Corsewall Point

Add lgd A/S and associated sym to **Corsewall Pt** Lt in 55°00'·42N 5°09'·56W. (ILNW 480/07)

4 Belfast, Victoria Channel

Move Lt Bn Fl.G.3s in 54°38'·46N 5°52'·32W to 54°38'·35N 5°52'·47W. (ILNW 489/07)

5 Approaches to Loch Ryan, Milleur Point northeastwards

Add lgd A/S and associated sym to N card Lt buoy in 55°01'·3N 5°05'·7W. (ILNW 11/08)

6 Belfast Docks

Delete chimney syms and associated lgds in 54°37'·05N 5°54'·40W and 54°37'·54N 5°54'·05W. (ILNW 115/08)

7 Ardglass Harbour (Plan I)

Insert Lt Fl(2)G.6s at G bn in 54°15'·67N 5°36'·03W (ILNW 197/08)

8 Strangford Narrows (Plan F)

Insert Lt bn Fl(2)10s in 54°22'·12N 5°32'·70W. (ILNW 285/08)

9 Larne Lough (Plan B)

Insert Y spher Lt buoy with x topmk Fl.Y.5s in 54°49'·90N 5°46'·48W (ILNW 18/09)

10 Loch Ryan

Insert safe water Lt buoy Iso.4s in 54°59'·77N 5°03'·82W (ILNW 56/09)

11 Portavogie southeastwards (*Correction amended - see ILNW 245/10*)

Substitute R LANBY **South Rock** Fl(3)R.30s7m9M *Racon(T) A/S*, with assoc. *racon* sym, for Lt float **South Rock** Fl(3)R.30s12m20M Horn(3)45s *Racon(T)* in 54°24'·48N 5°21'·99W (ILNW 111/09)

12 Bangor Bay (Main chart & Plan D)

Amend range of Lt Iso.R.12s14M to 9M in 54°40'·03N 5°40'·33W (ILNW 154/09)

13 Stranraer (Plan J)

The new 53-berth marina at Stranraer Harbour West Pier is now open.

Delete:

Lt 2FG(vert) in 54°54'·51N 5°01'·75W

Lgd *Works in progress (2007)* centred on 54°54'·54N 5°01'·71W.

Full details will be included on the next printing of this chart. (ILNW 298/09)

14 Approaches to Ardglass

Delete dangerous wk sym in 54°15'·2N 5°35'·7W (ILNW 377/09)

15 Belfast Lough

Insert 0·8m *Wk* in 54°40'·34N 5°47'·18W (ILNW 470/09)

16 Bangor Bay (Plan D)

Delete Lt Dir.Oc.WRG.10s in 54°39'·98N 5°40'·15W (ILNW 227/10)

17 Portavogie southeastwards

Substitute R pillar Lt buoy **South Rock** FI(3)R.30s7m for LANBY **South Rock** FI(3)R.30s7m9M in 54°24'·50N 5°22'·00W.

Radar beacon and AIS remain unchanged. (ILNW 245/10)

18 Ireland, Portavogie

Insert AIS sym southwest of Portavogie Lt in 54°27'·34N 5°26'·40W (ILNW 349/10)

19 Ireland, Larne northeastwards, Hunter Rk

Insert AIS at **S Hunter Rk** Lt buoy in 54°52'·69N 5°45'·30W (ILNW 350/10)

20 Belfast Lough

Amend Lt LFI.10s to Iso.4s at **Fairway** Lt buoy, plus delete Horn(1)16s, in 54°41'·71N 5°46'·24W (ILNW 351/10)

21 Larne northeastwards, East Maiden (*Correction amended - see ILNW 381/12*)

Amend Lt FI(3)20s29m24M to FI(3)15s29m23M in 54°55'·75N 5°43'·67W. Auxiliary Lt and Racon remain unchanged. (ILNW 386/10)

22 Larne approaches, Hunter Rock

Delete Y spher **ODAS** Lt buoy FI(5)Y.20s in 54°52'·80N 5°45'·28W (ILNW 423/10)

23 Belfast Lough

Substitute *Wk* depth 4·7m for *Wk* depth 0·8m in 54°40'·34N 5°47'·18W (ILNW 432/10)

24 Belfast Lough

Substitute:

Wk depth 7·8m for non-dangerous *wk* in 54°45'·95N 5°40'·76W

Wk depth 9·1m for non-dangerous *wk* in 54°41'·87N 5°40'·36W (ILNW 456/10)

25 Ballywater

Amend Lt to FI.WRG.3s4m9M in 54°32'·75N 5°28'·80W (ILNW 474/10)

26 Larne, Chaine Tower (Main chart & Plan B)

Amend range of Lt to 16/12M in 54°51'·27N 5°47'·88W (ILNW 498/10)

27 Dundrum Bay, St John's Pt

Delete fog signal Horn(2)60s, and lgd Fog Det. Lt, at St John's Pt Lt in 54°13'·60N 5°39'·61W (ILNW 14/11)

28 Loch Ryan

Insert isolated danger pillar Lt buoy FI(2)5s in 54°59'·54N 5°02'·96W and delete R can Lt buoy Q.R close by.

Insert R can Lt buoys:

FI.R.3s in 54°59'·91N 5°03'·29W

Q.R in 54°59'·78N 5°03'·11W (ILNW 257/11)

29 Loch Ryan

The new Loch Ryan ferry port is now operational.

Insert Iso.2s9M Lts in:

54°59'·11N 5°02'·36W

54°59'·04N 5°02'·16W

Full details will be included on the next edition of this chart. (ILNW 438/11)

30 Larne Lough

Amend Lt to FI.12M in 54°49'·59N 5°47'·81W (ILNW 458/11)

31 Portavogie southwards, Butter Pladdy

Substitute dangerous *wk* symbol for drying *wk* in 54°22'·46N 5°26'·50W (ILNW 459/11)

32 Donaghadee Sound (Main chart & Plan E)

Insert G con Lt buoy FI(2)G.6s in 54°39'·85N 5°32'·24W.

Substitute:

Lt FI.G.3s for FI.G.2s at G con buoy in 54°39'·51N 5°31'·94W.

Lt Fl(2)R.6s for Fl.R.6s at R can buoy in 54°39'·64N 5°32'·31W (ILNW 49/12)

33 Belfast, Victoria Channel

Delete fog signal Horn(2)20s at Lt bn in 54°38'·97N 5°51'·42W (ILNW 205/12)

34 Automatic Identification Systems

Insert AIS at Lts:

Mew I. Fl(4)30s37m24M in 54°41'·91N 5°30'·82W

Black Head Fl.3s45m27M in 54°46'·02N 5°41'·33W

East Maiden Fl(3)15s29m23M&Fl.R.5s15m8M in 54°55'·74N 5°43'·65W (ILNW 381/12)

